





Date:March 29,2021

Page 1 of 10

Test ReportSL52105243469001TXFIAB SPAVIA COSTOLI 4, 50039 VICCHIO FIRENZE ITALY

The following sample(s) was/were submitted and identified on behalf of the client as:						
Sample Description	:	(A)Mask model HZ-KN95 white				
Buyer	:	FIAB SpA (EU importer)				
Sample Color	:	(A)White				
Composition	:	(A)44%Non-woven fabrics, 28%Meltblown fabrics, 28%Polypropylene Non- woven fabric				
Style No.	:	HZ-KN95				
Manufacturer :		Jiangsu EverSmart Nano Technology Co.,Ltd.				
Supplier	:	Hangzhou Rollmed Co.,Ltd.				
Country of Origin	:	China				
Country of Destination	:	Italy				
Sample Size	:	312*216mm				
Test Performed	:	Selected test(s) as requested by applicant				
Sample Receiving Date	:	Mar 10, 2021				
Testing Period	:	Mar 12, 2021 - Mar 29, 2021				
Test Result(s)	:	Unless otherwise stated the results shown in this test report refer only to the sample(s) tested, for further details, please refer to the following page(s).				

Conclusion:	
Sample No.	Recommendation Level
(A)	FFP2 NR

Signed for and on behalf of SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd Testing Center

Sara Guo (Account Executive)

SGS does not verify authenticity of any Brand/Trademark of products. Buyers must check if the product is genuine with the Brand/Trademark owner directly.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is advised and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

3⁷⁸Building,No.889,Yishan Road,Xuhui District Shanghai,China 200233 tt (86-21) 61402666 ft (86-21) 64958763 www.sgsgroup.com.cn 中国・上海・徐江区宜山路889号3号楼 邮编: 200233 tt (86-21) 61402666 ft (86-21) 64958763 e sgs.china@sgs.com



SL52105243469001TX

Date:March 29,2021

Test Result

Personal Protective Equipment - Respiratory Protective Devices- Filtering Half Masks to Protect against Particles- Requirements, Testing, Marking

EN 149:2001+A1:2009

Clause 7.4 Packaging

(EN 149:2001+A1:2009 Clause 8.2)

Test Requirement	Results	Comment
Particle filtering half masks shall be offered for sale packaged in such a way that they are protected against mechanical damage and contamination before use.	Comply	Pass

Clause 7.5 Material

(EN 149:2001+A1:2009, Clause 8.2 & 8.3.1 & 8.3.2)

Test Requirement	Results	Comment
Materials used shall be suitable to withstand handling and wear over the period for which the particle filtering half mask is designed to be used.	Comply	
After undergoing the conditioning described in 8.3.1 none of the particle filtering half masks shall have suffered mechanical failure of the facepiece or straps.	Comply	Pass
When conditioned in accordance with 8.3.1 and 8.3.2 the particle filtering half mask shall not collapse.	Comply	-
Any material from the filter media released by the air flow through the filter shall not constitute a hazard or nuisance for the wearer.	Comply	

Clause 7.6 Cleaning and Disinfecting

(EN 149:2001+A1:2009, Clause 8.4 & 8.5 & 8.11)

Test Requirement	Results	Comment
If the particle filtering half mask is designed to be re-usable, the materials used shall withstand the cleaning and disinfecting agents and procedures to be specified by the manufacturer. With reference to 7.9.2, after cleaning and disinfecting the re-usable particle filtering half mask shall satisfy the penetration requirement of the relevant class.	Not applicable (Not designed to be re-usable)	N.A.

Clause 7.7 Practical Performance

(EN 149:2001+A1:2009, Clause 8.4)

Test Requirement	Results	Comment
The particle filtering half mask shall undergo practical performance tests under realistic conditions. These general tests serve the purpose of checking the equipment for imperfections that cannot be determined by the tests described elsewhere in this standard.	No imperfections	Pass



Unless otherwise agreed in writing, this document is issue overleaf, available on request or accessible at http://www.gg subject to Terms and Conditions for Electronic Documents Attention is drawn to the limitation of liability, indemnificati advised that information contained hereon reflects the Con Client's instructions, if any. The Company's soler responsi transaction from exercising all their rights and obligations except in full, without prior written approval of the Compa appearance of this document is unlawful and offenders may results shown in this test report refer only to the sample(s) test Attention: To check the authenticity of testing /inspection	s.com/en/Terms-aid-Cc at http://www.sgs.com/e on and jurisdiction issu pany's findings at the t bility is to its Client an under the transaction of ny. Any unauthorized a be prosecuted to the fu sted and such sample(s)	onditions.aspx and, for ele an/Terms-and-Conditions, es defined therein. Any f ime of its intervention or d this document does n documents. This docume Iteration, forgery or falsi Illest extent of the law. Uf are retained for 30 days	ctronic format documents, Terms-e-Document aspx. nolder of this document is ily and within the limits of of exonerate parties to a annot be reproduced fication of the content or pless otherwise stated the only.
 3 rd Building,No.889,Yishan Road,Xuhui District Shanghai,China 200233	t (86-21) 61402666	f (86-21) 64958763	www.sgsgroup.com.cn
中国・上海・徐汇区宜山路889号3号楼 邮编: 200233	t (86-21) 61402666	f (86-21) 64958763	e sgs.china@sgs.com

Member of the SGS Group (SGS SA)



SL52105243469001TX

Date:March 29,2021

Page 3 of 10

Clause 7.8 Finish of Parts

(EN 149:2001+A1:2009, Clause 8.2)

Test Requirement	Results	Comment
Parts of the device likely to come into contact with the wearer shall have no sharp edges or burrs.	No sharp edges or burrs	Pass

Clause 7.9.1 Total Inward Leakage

(EN 149:2001+A1:2009, Clause 8.5)

Test Requirement	Results	Comment
The total inward leakage consists of three components: face seal leakage, exhalation valve leakage (if exhalation valve fitted) and filter penetration. For particle filtering half masks fitted in accordance with the manufacturer's information, at least 46 out of the 50 individual exercise results (i.e. 10 subjects x 5 exercises) for total inward leakage shall be not greater than: 25% for FFP1, 11% for FFP2, 5% for FFP3 and, in addition, at least 8 out of the 10 individual wearer arithmetic means for the total inward leakage shall be not greater than: 22% for FFP1, 8% for FFP2, 2% for FFP3	Detail refer to Appendix 1	Meet FFP1, Meet FFP2

Appendix 1: Summarization of Test Data

Inward Leakage Test Data

Subject	Sample	Condition	Walk(%)	Head	Head	Talk(%)	Walk(%)	Mean(%)
-	No.			Side/side(%)	up/down(%)	. ,		
Zhou	1	A.R.	4.04	4.47	4.05	4.42	4.06	4.21
Luo	2	A.R.	5.18	5.32	5.33	5.80	4.83	5.29
Lu	3	A.R.	4.68	4.21	4.12	4.84	4.03	4.38
Wang	4	A.R.	3.38	3.31	3.13	3.82	3.09	3.35
Bao	5	A.R.	4.24	5.41	5.32	5.83	5.80	5.32
Ding	6	T.C.	3.65	3.43	3.31	3.81	3.10	3.46
Li	7	T.C.	5.15	5.59	5.74	5.97	5.32	5.55
Chen	8	T.C.	2.65	3.81	3.75	3.98	3.75	3.59
Song	9	T.C.	5.37	4.41	4.05	5.28	4.32	4.69
Ye	10	T.C.	5.53	5.61	5.54	6.09	5.63	5.68

Facial Dimension

Subject	Face length	Face Width	Face Depth	Mouth Width
Chen	125	150	120	58
Lu	115	132	107	48
Zhou	115	135	106	52
Li	125	130	107	46
Luo	125	136	100	43
Zheng	128	140	112	55
Wang	120	147	103	48
Song	120	140	100	50
Bao	130	134	104	50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Cond

3rdBuilding,No.889,Yishan Road,Xuhui District Shanghai,China 200233 tt (86-21) 61402666 ft (86-21) 64958763 中国・上海・徐江区宜山路889号3号楼 邮编: 200233 tt (86-21) 61402666 ft (86-21) 64958763

f (86–21) 64958763 www.sgsgroup.com.cn f (86–21) 64958763 e sgs.china@sgs.com



Test Rep	st Report SL52105243469001TX Date:March 29,		Date:March 29,2021	Page 4 of 10
Ding	134	150	110	52
Liu	120	135	117	50
Ye	126	137	105	52

Clause 7.9.2 Penetration of Filter Material

(EN 149:2001+A1:2009, Clause 8.11 & EN 13274-7:2019)

Test Requirement Denetration of the filter of the particle filtering half mask shall meetrements of the following table. Classifica tion Maximum penetration of test aerosol Sodium chloride test 95 Paraffin oil test 95 l/m I/min I/min				Results	Comment
		e			
Classifica	Maximum penetration	on of test aerosol			
tion	Sodium chloride test 95	Paraffin oil test 95 l/min			
	l/min			Detail refer to	Meet FFP1,
	%	%		Appendix 2	Meet FFP2, Meet FFP3
	max.	max.			Meel FFP3
FFP1	20	20			
FFP2	6	6			
FFP3	1	1			

Appendix 2: Summarization of Test Data

Penetration of filter material

Aerosol	Condition	Sample No.	Penetration (%)
		1	0.496
	As received	2	0.487
		3	0.432
		4	0.463
Sodium chloride test	Simulated wearing treatment	5	0.458
		6	0.469
	Machanical strongth . Towns rations	7	0.653
	Mechanical strength +Temperature conditioned	8	0.597
	conditioned	9	0.589
		10	0.675
	As received	11	0.598
		12	0.589
		13	0.625
Paraffin oil test	Simulated wearing treatment	14	0.671
		15	0.588
	Machanical strongth / Townstrum	16	0.895
	Mechanical strength +Temperature conditioned	17	0.729
	conationea	18	0.857
	Flow conditioning: Single fil	ter: 95.0 L/min	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation is drawn to the limitation of liability, indemnification and jurisdiction is used defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation contained here on reflects the Company's to its Client's intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. **Attention:** To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@egs.com

3rdBuilding,No.889,Yishan Road,Xuhui District Shanghai,China 200233 中国 · 上海 · 徐汇区宜山路889号3号楼 邮编: 200233 t (86–21) 61402666 f (86–21) 64958763 www.sgsgroup.com.cn t (86–21) 61402666 f (86–21) 64958763 e sgs.china@sgs.com



Test Report SL52105243469001TX

Date:March 29,2021

Clause 7.10 Compatibility with Skin

(EN 149:2001+A1:2009, Clause 8.4 & 8.5)

Test Requirement	Results	Comment
Materials that may come into contact with the wearer's skin shall not be known to be likely to cause irritation or any other adverse effect to health.	No irritation or any other adverse	Pass
	effect to health	

Clause 7.11 Flammability

(EN 149:2001+A1:2009, Clause 8.6)

Test Requirement	Results	Comment
The material used shall not present a danger for the wearer and shall not be of highly flammable nature	Detail refer to	Pass
When tested, the particle filtering half mask shall not burn or not to continue to burn for more than 5 s after removal from the flame.	Appendix 3	F 855

Appendix 3: Summarization of Test Data

Flammability

Condition	Sample No.	Result
	1	NIL
As received	2	NIL
	3	NIL
Temperature conditioned	4	NIL

Clause 7.12 Carbon Dioxide Content of The Inhalation Air

(EN 149:2001+A1:2009, Clause 8.7)

Test Requirement	Results	Comment
The carbon dioxide content of the inhalation air (dead space) shall not exceed an average of 1,0 % (by volume)	Detail refer to Appendix 4	Pass

Appendix 4: Summarization of Test Data

Carbon Dioxide Content of The Inhalation Air

Condition	Sample No.	Res	sult
		0.5815	
	1		
As received		0.5820	Mean value:0.58
As received	2		Iviean value.0.56
		0.5814	
	3		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation or liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

Member of the SGS Group (SGS SA)



SL52105243469001TX

Date:March 29,2021

Page 6 of 10

Clause 7.13 Head Harness

(EN 149:2001+A1:2009, Clause 8.4 & 8.5)

Test Requirement	Results	Comment
The head harness shall be designed so that the particle filtering half mask can be donned and removed easily.	Comply	
The head harness shall be adjustable or self-adjusting and shall be sufficiently robust to hold the particle filtering half mask firmly in position and be capable of maintaining total inward leakage requirements for the device.	Comply	Pass

Clause 7.14 Field of Vision

(EN 149:2001+A1:2009, Clause 8.4)

Test Requirement	Results	Comment
The field of vision is acceptable if determined so in practical performance tests.	Comply	Pass

Clause 7.15 Exhalation Valve(s)

(EN 149:2001+A1:2009, Clause 8.2 & 8.9.1 & 8.3.4 & 8.8)

Test Requirement	Results	Comment		
(a) A particle filtering half mask may have one or more exhalation valve(s), which shall function correctly in all orientations.	Not applicable due to No exhalation valve			
(b) If an exhalation valve is provided it shall be protected against or be resistant to dirt and mechanical damage and may be shrouded or may include any other device that may be necessary for the particle filtering half mask to comply with 7.9.	Not applicable due to No exhalation valve	N.A		
(c) Exhalation valve(s), if fitted, shall continue to operate correctly after a continuous exhalation flow of 300 l/min over a period of 30 s.	Not applicable due to No exhalation valve	N.A		
particle filtering half mask may have one or more exhalation valve(s), h shall function correctly in all orientations. an exhalation valve is provided it shall be protected against or be tant to dirt and mechanical damage and may be shrouded or may de any other device that may be necessary for the particle filtering half < to comply with 7.9. xhalation valve(s), if fitted, shall continue to operate correctly after a	Not applicable due to No exhalation valve			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document to the content or appearance of this document and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3rdBuilding,No.889,Yishan Road,Xuhui District Shanghai,China 200233 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t (86-21) 61402666 f (86-21) 64958763 t (86-21) 61402666 f (86-21) 64958763

www.sgsgroup.com.cn e sgs.china@sgs.com



SL52105243469001TX

Date:March 29,2021

Page 7 of 10

Clause 7.16 Breathing Resistance

(EN 149:2001+A1:2009, Clause 8.9)

	Inhalation Exhalation				Results	Comment
		ing				
Classification	Maximu	um permitted resista		Deteil refer to	Meet FFP1,	
	Inf	nalation	Exhalation		Detail refer to	Meet FFP2,
	30 l/min	95 l/min	160 l/min		Appendix 5	Meet FFP3
FFP1	0.6 2.1		3.0			
FFP2	0.7	2.4	3.0			
FFP3	1.0	3.0	3.0			

Appendix 5: Summarization of Test Data

Breathing resistance (mbar)

	Flow rate(I/min)		1						2			3					
As received			Α	В	С	D	Е	А	В	С	D	E	Α	В	С	D	E
	Inhalation	30	0.5	0.4	0.5	0.5	0.5	0.4	0.4	0.4	0.5	0.5	0.5	0.5	0.5	0.4	0.5
	Innalation	95	1.8	1.8	1.8	1.7	1.8	1.7	1.7	1.7	1.8	1.8	1.8	1.8	1.8	1.8	1.7
	Exhalation	160	2.7	2.8	2.8	2.7	2.7	2.8	2.8	2.8	2.7	2.8	2.8	2.7	2.7	2.8	2.8
					4					5				6			
Simulated	Flow rate(I	(min)	Α	В	С	D	Е	А	В	С	D E A B C				С	D	Е
wearing	Inhalation -	30	0.5	0.5	0.4	0.4	0.5	0.5	0.5	0.5	0.5	0.4	0.4	0.5	0.4	0.5	0.5
treatment		95	1.8	1.7	1.8	1.8	1.8	1.8	1.7	1.7	1.8	1.8	1.8	1.7	1.7	1.8	1.8
	Exhalation	160	2.7	2.8	2.7	2.7	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.7	2.7	2.8	2.7
	El avera ta (l	()		7 8						9							
	Flow rate(I	(min)	Α	В	С	D	Е	А	В	С	D	Е	Α	В	С	D	Е
Temperature	Inhalation	30	0.5	0.5	0.4	0.5	0.5	0.5	0.5	0.4	0.4	0.4	0.5	0.5	0.5	0.4	0.4
conditioned	maiation	95	1.7	1.8	1.8	1.8	1.7	1.7	1.8	1.8	1.7	1.8	1.7	1.7	1.7	1.8	1.8
	Exhalation	160	2.7	2.7	2.8	2.8	2.8	2.8	2.8	2.7	2.7	2.8	2.8	2.8	2.7	2.7	2.8

A: facing directly ahead; B: facing vertically upwards; C: facing vertically downwards; D: lying on the left side; E: lying on the right side



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document instawt land offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gss.com

3rd Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233

t (86-21) 61402666 f (86-21) 64958763 t (86-21) 61402666 f (86-21) 64958763

www.sgsgroup.com.cn e sgs.china@sgs.com



SL52105243469001TX

Date:March 29,2021

Page 8 of 10

Clause 7.17 Clogging

(EN 149:2001+A1:2009, Clause 8.9 & 8.10)

Test Requirement			Results	Comment
Clause 7.17.2 Breathing resistance Valved particle filtering half masks: After clogging the inhalation resistances shall not exceed: FFP1: 4 mbar, FFP2: 5 mbar, FFP3: 7 mbar at 95L/min continuous flow The exhalation resistance shall not exceed 3 mbar at 160 L/min continuous flow.			Optional for single shift device only	N.A.
After clogging the	<u>e filtering half masks:</u> e inhalation and exhalation resist FP2: 4 mbar, FFP3: 5 mbar at 95			
All types (valved	enetration of filter material and valveless) of particle filter g requirement shall also meet th			
Classificatio	Maximum penetration			
Classificatio n	Maximum penetration Sodium chloride test 95 l/min	n of test aerosol Paraffin oil test 95 l/min	Optional for single	N.A.
	•		Optional for single shift device only	N.A.
	Sodium chloride test 95 l/min	Paraffin oil test 95 l/min	•	N.A.
	Sodium chloride test 95 l/min %	Paraffin oil test 95 l/min %	•	N.A.
n	Sodium chloride test 95 l/min % max.	Paraffin oil test 95 l/min % max.	•	N.A.

Clause 7.18 Demountable Parts

(EN 149:2001+A1:2009, Clause 8.2)

Test Requirement	Results	Comment
All demountable parts (if fitted) shall be readily connected and secured, where possible by hand	No demountable parts	N/A

Test	Uncertainty
Total inward leakage	3.4%
Penetration of filter material	4.8%
Carbon dioxide content of the inhalation air	3.9%
Breathing resistance (30L/min)	5.9%
Breathing resistance (95L/min)	4.9%
Breathing resistance (160L/min)	4.3%



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document instawt land offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gss.com 3rd Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 www.sgsgroup.com.cn

中国・上海・徐汇区宜山路889号3号楼 邮编: 200233

t (86-21) 61402666 f (86-21) 64958763 t (86-21) 61402666 f (86-21) 64958763


e sgs.china@sgs.com





SL52105243469001TX

Sample Photo



21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document instawt land offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gss.com

3rd Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233 t (86-21) 61402666 f (86-21) 64958763 f (86-21) 64958763 t (86-21) 61402666

www.sgsgroup.com.cn e sgs.china@sgs.com





Product information is provided by applicant without verification or authentication of the brand.

End of Report



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document instawt land offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gss.com

3rd Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t (86-21) 61402666 f (86-21) 64958763 t (86-21) 61402666

www.sgsgroup.com.cn e sgs.china@sgs.com f (86-21) 64958763